

| | UNIVERSITY OF CAMBRIDGE INTERN International General Certificate of Secon | | www.trenepapers.com |
|-------------------|--|---------------------|---------------------|
| CANDIDATE NAME | | | |
| CENTRE NUMBER | | CANDIDATE NUMBER | |
| CO-ORDINAT | ED SCIENCES | | 0654/23 |

Paper 2 (Core)

October/November 2010 2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions. A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

| For Exam | iner's Use |
|----------|------------|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| Total | |

This document consists of 22 printed pages and 2 blank pages.



1 Fig. 1.1 shows a section through the human thorax.




Fig. 1.1 (a) On the diagram, use label lines to label each of the following structures: the trachea the heart a bronchiole (b) List the structures through which blood passes as it flows from the heart to the lungs and back to the heart again. Choose from these words: aorta artery capillaries left atrium left ventricle pulmonary artery pulmonary vein right atrium right ventricle vena cava The first structure has been done for you. 1 right ventricle 2 3 4

© UCLES 2010

5

For Examiner's Use

[3]

[4]


| (c) | Describe how the blood transports oxygen. | For Examiner's Use |
|-----|---|--------------------------|
| | | |
| | [2] | |
| (d) | Describe how oxygen is supplied to a developing fetus in its mother's uterus. | |
| | | |
| | | |
| | [3] | |

[Turn over

3

For Examiner's Use

- 2 In electrochemical cells (batteries), electrical energy is obtained from chemical reactions.
 - (a) Fig. 2.1 shows some uses of electrochemical cells.




......[1]

(b) Some types of digital clocks use electrical energy which is obtained from an electrochemical cell. These cells can be made by placing metal electrodes into a potato.


For Examiner's Use

Fig. 2.2 shows a simplified diagram of such a clock.





(i) Suggest why a potato can be used as part of an electrochemical cell.



(c) Some modern cars, known as hybrids, have two engines. In one of these engines, hydrocarbon fuel is burnt to provide the energy required to move the car. In the other, electrical energy is provided by a powerful electrochemical cell. At lower speeds, the electric engine drives the car and the other engine is switched off. (i) Name a liquid hydrocarbon which is used as car fuel. [1] (ii) Name the process which is used to separate car fuel from petroleum. [1] (iii) Name two compounds which are produced when hydrocarbon fuel is burnt in a car engine. 1 2 [2] (iv) Suggest why air pollution in towns and cities might be reduced if hybrid cars replaced ordinary cars. _____ [3]

6

For Examiner's Use

© UCLES 2010

 3 (a) A student wrote down some properties of alpha, beta and gamma radiations.
 For

 Draw a line from each property to the correct radiation.
 radiation

 property
 radiation

 has no charge
 alpha

 passes through paper but stopped by a few millimetres of aluminium
 stopped junction

passes through several centimetres of lead

contains positively charged particles

stopped by paper

[3]

beta

gamma

(b) Alpha, beta and gamma radiations are known as ionising radiations.


(i) Explain the meaning of the term *ionising radiation*.

(ii) Explain why alpha radiation is more effective at ionising than beta radiation.
(iii) State two effects of ionising radiation on the human body.
1
2

4 Nitrogen compounds in soil are taken up by growing crops.

Fig.4.1 shows two ways in which nitrogen compounds may be added to soil used for growing crops.

For Examiner's Use



(b) Table 4.1 shows how much of three elements, nitrogen, phosphorus and potassium, was removed from the soil by different crops. In this table, the elements are shown by their chemical symbols.

9

For Examiner's Use

| oron | mass rem | oved in k | g/hectare |
|------------|----------|-----------|-----------|
| crop | Ν | Р | К |
| oats | 72 | 13 | 18 |
| sugar beet | 86 | 14 | 302 |
| wheat | 115 | 22 | 26 |

| Та | ble | 41 |
|----|-----|--------------|
| 10 | | T . I |

- (i) State the crop in Table 4.1 which took up the **highest** mass of potassium per hectare.
 -[1]
- (ii) The sugar beet was planted in a field of 2.5 hectares.

Calculate the combined mass of nitrogen and phosphorus taken up by the crop of sugar beet.

Show your working.

_____kg [1]

(c) The nitrogen in NPK fertiliser exists in the form of compounds such as the salts ammonium nitrate, NH₄NO₃, and diammonium phosphate, (NH₄)₂HPO₄. Examiner's Ammonium nitrate is made by reacting ammonia with nitric acid. (i) Name the type of chemical reaction which occurs between ammonia and nitric acid. [1] (ii) State the total number of atoms which are shown combined in the formula of diammonium phosphate. [1] (iii) Describe a chemical test to show whether a solution contains ammonium ions. [3] (d) Starch molecules are polymers of glucose. (i) Draw a small section of a molecule of starch, using the symbol to represent a glucose molecule. [1] (ii) **Name** the elements that are combined in glucose. [1]

For

Use

BLANK PAGE

11

Please turn over for Question 5.

(a) A student investigated the relationship between the potential difference across a lamp For and the current in the lamp. Examiner's Use (i) List the apparatus she would need to carry out this investigation. [2] Fig. 5.1 shows a graph of the results of this investigation. 1.2 current/A 1.0 0.8 0.6 0.4 0.2 0 2 0 3 4 5 6 1 potential difference/V

Fig. 5.1


5

| | (ii) | Calculate the resistance of the lamp when the current was 0.6 A. | For |
|-----|-------|--|-------------------|
| | | State the formula that you use and show your working. | Examiner's Use |
| | | formula used | |
| | | working | |
| | | | |
| | | | |
| | | | |
| | | ohms [2] | |
| (b) | (i) | The generator at a power station supplies a current of 50 A at a voltage of $25000V$. | |
| | | Use the formula | |
| | | power = voltage × current | |
| | | to calculate the power output of the generator. | |
| | | Show your working. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | (ii) | Electrical energy is transmitted along cables at a very high voltage of 400000V. | |
| | | Explain how this reduces the cost of supplying the electricity. Use the ideas of energy loss and current in your answer. | |
| | | | |
| | | , | |
| | | | |
| | | [3] | |
| | (iii) | State two properties of aluminium which make it suitable for overhead power cables. | |
| | | 1 | |
| | | 2 [2] | |
| | | | 1 |

For

Examiner's Use

6 Fig. 6.1 shows two plant cells. One has been placed in a blue dye and the other in a red dye.



(b) (i) Cells from the palisade layer of a leaf contain structures **not** shown in Fig. 6.1. Examiner's These structures contain a green pigment that absorbs energy from sunlight. This energy is used to help the plant to make its own food. On the cell in blue dye in Fig. 6.1, draw and name one of these structures. [2] (ii) Describe how a plant makes its own food. [3] (iii) Explain how the process you have described in (ii) benefits animals. [3]

For

Use

7 An athlete is running in a sprint race. For Examiner's Use (a) Fig. 7.1 shows the athlete's speed during the race. 12 В speed 10 m/s 8 6 4 2 0 16 18 20 22 0 2 4 6 8 10 12 14 24 time/s Fig. 7.1 (i) Describe the athlete's motion between **B** and **C**. [1] (ii) Describe the athlete's motion between C and D. [1] (b) Complete the sentence by choosing suitable words. As the athlete runs, the ______ energy in the food he has eaten changes to ______energy and heat energy. [2] (c) At the end of the race, evaporation helps to cool the athlete. (i) Use the idea of particles to explain how evaporation helps the athlete to cool down. [2]

(ii) At the end of a long race, an athlete may be wrapped in a shiny foil blanket to prevent him cooling down too quickly.

Explain how the shiny foil blanket helps reduce energy losses. Use ideas about conduction, convection and radiation in your answer.

| [3] |
|-----|

For

Examiner's Use

| | | e disease cystic fibrosis is caused by a recessive allele, f , of a gene. The symbol for normal, dominant allele is F . |
|----|---------------------|---|
| | (i) | State the genotype of a person with cystic fibrosis. |
| | | [1] |
| | (ii) | State the phenotype of a person who is heterozygous for cystic fibrosis. |
| | | [1] |
| (| (iii) | Explain why a person who has the alleles FF cannot have a child with cystic fibrosis. |
| | | You can use a genetic diagram as part of your answer if it helps your explanation. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [3] |
| b) | pan This | [3] berson with cystic fibrosis often has a blockage of the duct that leads from the creas into the alimentary canal. |
| b) | pan This prof | person with cystic fibrosis often has a blockage of the duct that leads from the creas into the alimentary canal. |
| b) | pan This prof | person with cystic fibrosis often has a blockage of the duct that leads from the creas into the alimentary canal. Is duct usually carries pancreatic juice, which contains the enzymes amylase, tease and lipase. |
| b) | pan This prof | person with cystic fibrosis often has a blockage of the duct that leads from the creas into the alimentary canal. Is duct usually carries pancreatic juice, which contains the enzymes amylase, tease and lipase. Describe the function of amylase. |
| | pan This prof | person with cystic fibrosis often has a blockage of the duct that leads from the creas into the alimentary canal. Is duct usually carries pancreatic juice, which contains the enzymes amylase, tease and lipase. Describe the function of amylase. |
| | pan This prof | Person with cystic fibrosis often has a blockage of the duct that leads from the creas into the alimentary canal. Is duct usually carries pancreatic juice, which contains the enzymes amylase, tease and lipase. Describe the function of amylase. [2] Explain why a person with a blocked pancreatic duct will not be able to absorb as |
| | pan This prof | Person with cystic fibrosis often has a blockage of the duct that leads from the creas into the alimentary canal. Is duct usually carries pancreatic juice, which contains the enzymes amylase, tease and lipase. Describe the function of amylase. [2] Explain why a person with a blocked pancreatic duct will not be able to absorb as many nutrients from their food as a person with a normal pancreatic duct. |

9 Fig. 9.1 shows the driving force and frictional force acting on a car of mass 1200 kg For travelling at a constant speed of 18 m/s. Examiner's Use driving force frictional force 1000 N 1000 N Fig. 9.1 (a) (i) Calculate the distance travelled in one minute. [1] m (ii) Calculate the work done by the driving force in one minute. State the formula that you use and show your working. formula used working _____J [2] (b) Explain, in terms of forces, why the car is travelling at a constant speed. [1]

(c) Fig. 9.2 shows a car on a hydraulic lift in a garage. The total weight being lifted is 18000 N. The lift uses four large pistons. Each large piston has an area of 0.03 m². The Examiner's smaller piston **X** has an area of 0.01 m^2 .

For

Use

[2]

..... N

hydraulic fluid piston area of each large piston 0.03 m² piston X area 0.01 m² Fig. 9.2 (i) Calculate the total area of the four large pistons. m^2 [1] (ii) Use the formula pressure = force / area to calculate the pressure in the hydraulic fluid used in the lift. Show your working.

......N/m² [1] (iii) This pressure is caused by piston X. Calculate the minimum force which piston **X** must exert to lift the car. Show your working.

© UCLES 2010

BLANK PAGE

21

Please turn over for Question 10.

For Examiner's Use

10 Table 10.1 shows some properties of five elements, P to T. The code letters are not the chemical symbols of the elements.

| element code letter | melting point /°C | boiling point /°C | conduction of electricity | number of outer electrons in an atom |
|------------------------|----------------------|----------------------|---------------------------|--|
| Р | -89 | -186 | insulator | 8 |
| Q | 650 | 1090 | conductor | 2 |
| R | -7 | 58 | insulator | 7 |
| S | 181 | 1342 | conductor | 1 |
| т | -220 | -188 | insulator | 7 |

| _ | | | - | - | |
|----|---|----|---|---|----|
| Та | b | le | 1 | 0 | .1 |

Answer the following questions, using **only** the elements shown in the table.

(a) (i) State and explain which elements are from the same group of the Periodic Table.

| | elements | |
|-------|--|-----|
| | explanation | |
| | | [1] |
| (ii) | State and explain which elements are metals. | |
| | elements | |
| | explanation | |
| | | [1] |
| (iii) | State and explain which elements are gases at a room temperature of 20 °C. | |
| | elements | |
| | explanation | |
| | | [1] |

(b) Fig. 10.1 shows atoms of the two elements **R** and **S**. Only the outer electron shells are shown.

For Examiner's Use




Fig. 10.1

When element **R** reacts with element **S** the atoms of both elements change and become **ions**.

(i) Describe, in terms of electrons, how an atom of element **S** would change into an ion.

[1]

(ii) Predict and explain whether the compound formed between elements **S** and **R** is likely to be a solid, liquid or gas at room temperature.

Explain your answer.

state ______explanation ______[3]

(c) The element bromine is produced when compounds dissolved in seawater react with chlorine.

The word equation for a typical reaction producing bromine is shown below.

chlorine + sodium bromide — sodium chloride + bromine

(i) State the colour change which would show that bromine is produced in this reaction.

[1]

(ii) Explain briefly, in terms of reactivity, why these reactants produce bromine.

[1]

| | 0 | 4 | Helium Helium | 2 | 20 | Ne | Neon 10 | 40 | Ar | Argon 18 | 84 | Kr | Krypton 36 | 131 | Xe | Xenon 54 | | Rn | Radon 86 | | | - | 175 | | 7 | | | Lawrencium 103 |
|-------|----|---|------------------|---|----|----|----------------|------|----|------------------|----|----|-----------------|-----|----|----------------------------|-----|----------|---------------------------|-----|-----------------------|----|--------------------------|-------------------------|----|----------------|-------------------|----------------------------|
| | ۲I | | | | 19 | ш | Fluorine 9 | 35.5 | CI | Chlorine 17 | 80 | Br | Bromine 35 | 127 | Ι | lodine 53 | | At | Astatine 85 | | | | 173 | Y b Ytterbium | 20 | : | ° N | 102 |
| | ⋝ | _ | | | 16 | 0 | Oxygen 8 | 32 | S | Sulfur 16 | 62 | Se | Selenium 34 | 128 | Te | Tellurium 52 | | Ро | Polonium 84 | | | | 169 | Thulium B | 69 | | Md | Mendelevium 101 |
| | > | | | | 14 | z | Nitrogen 7 | 31 | ₽. | Phosphorus 15 | 75 | As | Arsenic 33 | 122 | Sb | Antimony 51 | 209 | <u>.</u> | Bismuth 83 | | | | 167 | Erbium Erbium | 68 | 1 | Ш | Fermium 100 |
| | ≥ | | | | 12 | ပ | Carbon 6 | 28 | Si | Silicon 14 | 73 | Ge | Germanium 32 | 119 | Sn | 50 Tin | 207 | Ъb | Lead 82 | | | | 165 | Holmium | 67 | [| Es | Einsteinium aa |
| | ≡ | _ | | | 11 | ۵ | Boron 5 | 27 | ٩١ | Aluminium 13 | 70 | Ga | Gallium 31 | 115 | In | Indium 49 | 204 | 11 | Thallium 81 | | | | 162 | Dysprosium | 66 | 2 | ັບ | Californium |
| | | | | | | | | | | | | Zn | Zinc 30 | 112 | В | Cadmium 48 | 201 | Hg | Mercury 80 | | | | 159 | Terbium | 65 | ī | | Berkelium a7 |
| | | | | | | | | | | | 64 | Cu | Copper 29 | 108 | Ag | Silver 47 | 197 | Au | Gold 79 | | | | 157 | Gd Gadolinium | 64 | (| C C | Curium |
| Group | | | | | | | | | | | 59 | ïZ | Nickel 28 | 106 | Pd | Palladium 46 | 195 | Ę | Platinum 78 | | | | 152 | Europium | 63 | | Am | Americium |
| | | | | | | | | | | | 59 | ပိ | Cobalt 27 | 103 | Rh | Rhodium 45 | 192 | Ir | Iridium 77 | | | | 150 | Samarium | 62 | 1 | | Plutonium |
| | | | Hydrogen | 1 | | | | | | | 56 | Fe | Iron 26 | 101 | Ru | Ruthenium 44 | 190 | 0s | Osmium 76 | | | | ſ | PB methium | | : | dN | Neptunium |
| | | | | | | | | | | | 55 | Mn | Manganese 25 | | ЦС | Technetium 43 | 186 | Re | Rhenium 75 | | | | 144 | Neodymium | | 238 | | Uranium |
| | | | | | | | | | | | 52 | ບັ | Chromium 24 | 96 | Мо | Molybdenum 42 | 184 | 8 | Tungsten 74 | | | | 141 | Pr Praseodymium | 59 | 1 | Ра | Protactinium |
| | | | | | | | | | | | 51 | > | Vanadium 23 | 93 | qN | Niobium 41 | 181 | Та | Tantalum 73 | | | | 140 | Cerium Cerium | 58 | 232 | ۲ ۲ | Thorium |
| | | | | | | | | | | | 48 | F | Titanium 22 | 91 | Zr | Zirconium 40 | 178 | Ŧ | Hafnium 72 | | | | | | | nic mass | pol | iic) number |
| | | | | | | | | | | | | | N | | | | | | · * | | | + | | | | 5 | Ę | UO. |
| | | _ | | | | | | 1 | | | 45 | Sc | Scandium 21 | 88 | ≻ | Yttrium 39 | 139 | La | Lanthanum 57 | 227 | Actinium | 89 | lseries | eries | | = relative ato | = atomic sy | = proton (at |
| | = | - | | | 6 | Be | Beryllium 4 | 24 | Mg | Magnesium 12 | | | candium | | | Strontium Yttrium 38 39 | | | Barium Lanthanun 56 57 | | Ra Actinium Radium | 80 | *58-71 Lanthanoid series | 190-103 Actinoid series | | | X = atomic symbol | b = proton (atomic) number |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

24