

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

5129/12 **COMBINED SCIENCE** 

October/November 2012 Paper 1 Multiple Choice

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

## **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.


Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 20.



**International Examinations** 

1 A rule is used to measure the internal diameter of a pipe.



What is the internal diameter of the pipe?

- **A** 1.6 cm
- **B** 1.8 cm
- **C** 2.0 cm
- **D** 2.6 cm

2 A car of mass 1800 kg is brought to a halt. The deceleration is 2 m/s<sup>2</sup>.

What is the size of the force bringing the car to a halt?

- **A** 900 N
- **B** 3600 N
- **C** 18 000 N
- **D** 36 000 N

- 3 What describes the density of a material?
  - A the amount of matter in the material
  - **B** the mass per unit volume of the material
  - **C** the pull of gravity on the material
  - **D** the volume per unit mass of the material
- **4** A cell will deliver 3000 J of energy to a 2W electric motor before the cell is exhausted.

How long will the motor run?

- A 25 minutes
- B 100 minutes
- C 1500 minutes
- **D** 6000 minutes

**5** A liquid-in-glass laboratory thermometer and a liquid-in-glass clinical thermometer have several properties in common.

Which statement is **not** correct?


- **A** Both thermometers have a graduated scale.
- **B** Both thermometers have thin glass around the bulb.
- **C** Both thermometers have a constriction in the tube.
- **D** Both thermometers have a large bulb and a narrow bore.
- **6** What happens when a metal bar is heated?
  - A The distance between the molecules increases, making the bar longer.
  - **B** The molecules get larger, making the bar longer.
  - **C** The molecules vibrate more quickly, making the bar denser.
  - **D** The speed of the molecules increases, making the bar thinner.
- 7 Radio waves, visible light and X-rays are all part of the electromagnetic spectrum.


Which is the correct order of increasing wavelength?


	shortest wavelength		longest wavelength
Α	visible light	radio waves	X-rays
В	visible light	X-rays	radio waves
С	X-rays	radio waves	visible light
D	X-rays	visible light	radio waves


8 An eye views an object O by reflection in a plane mirror.

Which is the correct ray diagram?











**9** A small positive charge, P, is positioned close to a positively charged sphere.

What is the direction of the electrostatic force on P?



**10** Diagram 1 shows two cells in series with two lamps X and Y. Both lamps light with normal brightness.

Diagram 2 shows a resistor in series with the same cells and lamps.



What is the brightness of lamp X and lamp Y in diagram 2?

	lamp X	lamp Y
Α	brighter than normal	dimmer than normal
В	brighter than normal	normal
С	dimmer than normal	dimmer than normal
D	normal	dimmer than normal

- 11 To determine whether a material is magnetic, a student should
  - A find out if it is a metal or a non-metal.
  - **B** find out if it is a conductor or an insulator.
  - **C** find out if it can be given an electric charge.
  - **D** find out if it affects the direction in which a compass needle points.

12 The primary coil of a simple iron-cored transformer is connected to an a.c. source and then to a d.c. source. The secondary coil is connected to an oscilloscope and the output of the transformer is observed for each source.

Which row correctly describes the output for a given source?

	source	output
Α	a.c.	a.c.
В	a.c.	d.c.
С	d.c.	a.c.
D	d.c.	d.c.

13 An atom has a nucleus surrounded by electrons.

What are the charges on the nucleus and on the whole atom?

	charge on nucleus	charge on whole atom
Α	neutral	neutral
В	neutral	positive
С	positive	neutral
D	positive	positive

- 14 Which statement about the particles in a liquid is **not** correct?
  - **A** They are arranged in regular patterns.
  - **B** They can escape from the liquid.
  - **C** They form a definite surface.
  - **D** Their speed increases as temperature increases.
- 15 What can be deduced from the symbol <sup>4</sup><sub>2</sub>He?
  - A An atom of helium has two electrons.
  - **B** An atom of helium has two protons and four neutrons.
  - **C** Helium has a proton number of 4.
  - **D** Helium occurs as a diatomic molecule.

- 16 What is the best way of slowing down the reaction between magnesium and sulfuric acid?
  - A adding a catalyst to the reactants
  - **B** diluting the acid used in the reaction
  - **C** stirring the reagents
  - **D** using magnesium powder instead of ribbon
- 17 The table gives some properties of four substances.

Which substance is covalently bonded?

	melting point /°C	boiling point /°C	electrical conductivity when liquid	electrical conductivity in aqueous solution
Α	808	1465	✓	✓
В	-114	78	X	x
С	64	748	✓	✓
D	327	1730	✓	x

18 The diagram shows the electronic structure of silane, SiH<sub>4</sub>.



Which row shows the properties of silane?

	conduction of electricity in the liquid state	melting point
Α	good	high
В	good	low
С	non-conductor	high
D	non-conductor	low

- 19 Which mass of oxygen combines with 16 g of sulfur to form sulfur dioxide, SO<sub>2</sub>?
  - **A** 4g
- **B** 8g
- **C** 16g
- **D** 32 g

20 Different solids were added to separate test-tubes of warm dilute sulfuric acid.

For which solid is the observation correct?

	solid	observation
Α	ammonium sulfate	alkaline gas produced
В	copper	gas evolved ignited with a pop
С	magnesium oxide	solid dissolved with no effervescence
D	zinc carbonate	gas evolved relights glowing splint

21 What is the order of reactivity of the halogens?

	most reactive		least reactive
Α	bromine	chlorine	iodine
В	chlorine	bromine	iodine
С	iodine	bromine	chlorine
D	iodine	chlorine	bromine

- **22** Which metal does **not** react with dilute hydrochloric acid to give hydrogen?
  - A copper
  - **B** iron
  - **C** magnesium
  - **D** zinc
- 23 The boiling points of some elements are given in the table.

element	boiling point/°C
nitrogen	<b>–196</b>
xenon	-108
oxygen	-183

A mixture of nitrogen, xenon and oxygen at -200 °C is allowed to warm up to -150 °C.

Which elements are still in the liquid state at -150 °C?

- A a mixture of nitrogen and oxygen
- **B** a mixture of nitrogen and xenon
- C nitrogen only
- **D** xenon only

24 Which reaction takes place in the blast furnace?

A FeCr<sub>2</sub>O<sub>4</sub> + 4C 
$$\rightarrow$$
 Fe + 2Cr + 4CO

**B** 3Fe + 
$$4H_2O \rightarrow Fe_3O_4 + 4H_2$$

**C** SiO<sub>2</sub> + CaO 
$$\rightarrow$$
 CaSiO<sub>3</sub>

**D** SiO<sub>2</sub> + 2NaOH 
$$\rightarrow$$
 Na<sub>2</sub>SiO<sub>3</sub> + H<sub>2</sub>O

25 Ammonium sulfate, (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, is added to soil to provide an element that is important for plant growth.

What is this element?

- A hydrogen
- В nitrogen
- C oxygen
- **D** sulfur
- 26 X reacts with steam to form Y.

Y can be oxidised to Z.

$$X \xrightarrow{\text{steam}} Y \xrightarrow{\text{oxidation}} Z$$


If Z is propanoic acid, what would be the formula of X?

- A  $C_2H_4$
- **B**  $C_2H_6$  **C**  $C_3H_6$  **D**  $C_3H_8$

27 Propene is an unsaturated hydrocarbon. Its structure is shown.

What is produced when propene reacts with bromine?

**28** The diagram shows a typical plant cell after being placed into a concentrated salt solution for ten minutes.



Which numbered structures are partially permeable?


A 1 and 2 only B 1 and 3 only C 1 only D 2 only

29 The following reaction occurs in the human alimentary canal.

What are the catalyst and the product?

	catalyst	product
Α	acid	glucose
В	alkali	energy
С	amylase	maltose
D	bile	amino acid

**30** The graph shows the effect of different colours of light on the rate of oxygen production by green plants.




What can be deduced from the graph?

- A Photosynthesis is least active in green light.
- **B** Photosynthesis is most active in green light.
- **C** Respiration is least active in green light.
- **D** Respiration is most active in green light.

**31** The diagram shows the composition of four foods.

Which food will provide the most energy per gram?



**32** How do these substances enter a plant's root hairs?


	nitrate	oxygen	water
Α	active transport	diffusion	osmosis
В	diffusion	osmosis	active transport
С	osmosis	active transport	diffusion
D	osmosis	diffusion	active transport

33 The table shows substances that pass between capillaries and tissues in a part of the body.

substance	into the capillaries from the tissues	out of the capillaries into the tissues
oxygen		<b>√</b>
carbon dioxide	✓	
amino acids		✓
urea	✓	

In which part of the body are these capillaries?

- A between the alveoli
- B in the kidney
- C in the liver
- **D** in the villi
- **34** The apparatus shown is used to investigate gas exchange during breathing.




What would occur when a person breathes gently in and out several times through tube M?

- **A** The solutions in X and Y both turn cloudy.
- **B** The solution in X remains clear, but that in Y turns cloudy.
- **C** The solution in X turns cloudy, but that in Y remains clear.
- **D** The solution in X is forced out through the tube T.

- 35 Which statement best describes changes in parts of the eye when starting focus on a near object?
  - A Ciliary muscles contract, suspensory ligaments loosen and the lens becomes more rounded.
  - **B** Ciliary muscles contract, suspensory ligaments tighten and the lens becomes flatter.
  - **C** Ciliary muscles relax, suspensory ligaments loosen and the lens becomes more rounded.
  - **D** Ciliary muscles relax, suspensory ligaments tighten and the lens becomes flatter.
- **36** Which descriptions of drugs are correct?

	have side effects	are broken down by the liver				
Α	x	x				
В	x	✓				
С	✓	×				
D	✓	✓				

**37** The diagram shows part of the food web.




Which organism can properly be described by **only one** of the terms producer, consumer, herbivore and carnivore?

- A ant
- **B** dandelion
- C frog
- **D** stoat

**38** What increases in the long term as a result of tropical deforestation?

- A cloud cover
- **B** humidity
- C soil erosion
- **D** soil fertility

- 39 What is always true of the offspring from asexual reproduction in plants?
  - A a new variety
  - B more resistant to disease
  - C same flower shape
  - D same size
- **40** The diagram shows the male reproductive system.



How could surgical contraception be carried out?

- A cutting and tying tube 1
- **B** cutting and tying tube 3
- C cutting and tying tube 4
- **D** removing gland 2

DATA SHEET
The Periodic Table of the Elements

	0	4 <b>He</b> Helium	20 <b>Ne</b> Neon 10	40 <b>Ar</b> Argon	84 <b>Kr</b>	Krypton 36	131	Xenon	54	Rn	Radon 86		175 <b>Lu</b> Lutetium 71	<b>Lr</b> Lawrencium 103
Group	\		19 <b>T</b> Fluorine	35.5 <b>C1</b> Chlorine	80 <b>B</b>	Bromine 35	127		53	At	Astatine 85		173 <b>Yb</b> Ytterbium 70	Nobelium
			16 <b>O</b> Oxygen 8	32 <b>S</b> Sulfur	79 <b>Se</b>	Selenium 34	128	Tellurium	52	Ро			169 <b>Tm</b> Thulium	Md Mendelevium 101
	> ≥		14 <b>N</b> Nitrogen 7	31 <b>P</b> Phosphorus			122	Sb	51	<b>6</b> 500	Bismuth 83		167 <b>Er</b> Erbium 68	Fm Fermium 100
			12 <b>C</b> Carbon 6	28 <b>Si</b> Silicon		Germanium 32	119	Sn ⊧		207 <b>Pb</b>	Lead 82		165 <b>Ho</b> Holmium 67	Es Einsteinium 99
	≡		11 Boron 5	27 <b>A t</b> Aluminium 13	70 <b>Ga</b>	Gallium 31	115	<b>Ln</b>	49	204 <b>T (</b>	Thallium 81		162 <b>Dy</b> Dysprosium 66	Cf Californium 98
					es Zn	Zinc 30	112	Cadmium	48	201 <b>Hg</b>	Mercury 80		159 <b>Tb</b> Terbium 65	Bk Berkelium 97
					64 <b>Cu</b>	Copper 29	108	Ag		Au	Gold 79		157 <b>Gd</b> Gadolinium 64	Cm Curium
					29 <b>Z</b>	Nickel 28	106	<b>Pd</b> Palladium	46	195 <b>T</b>	Platinum 78		152 <b>Eu</b> Europium 63	Am Americium
					°69	Cobalt 27	103	Rhodium	45	19Z	Iridium 77		150 <b>Sm</b> Samarium 62	<b>Pu</b> Plutonium 94
		1 Hydrogen			56 <b>Fe</b>	Iron 26	101	<b>Ru</b> Ruthenium	44	0 <b>S</b>	Osmium 76		<b>Pm</b> Promethium 61	Neptunium
					ss Mn	Manganese 25		<b>TC</b> Technetium	43	786 <b>R</b>	Rhenium 75		Neodymium 60	238 <b>U</b> Uranium
					Ç	Chromium 24	96	Molybdenum	42	≨ ≥	Tungsten 74		141 Pr Praseodymium 59	Pa Protactinium 91
					51	Vanadium 23	93	Niobium	41	<b>–</b>	Tantalum 73		140 <b>Ce</b> Cerium	232 <b>Th</b> Thorium
					48 <b>二</b>	Titanium 22	91	<b>Zr</b> Ziroonium	40	<b>‡</b>	* Hafnium		ı	nic mass ibol nic) number
				ı	45 <b>Sc</b>	Scandium 21	88		39	139 <b>La</b>	E	227 Actinium 89	d series series	a = relative atomic mass  X = atomic symbol b = proton (atomic) number
	=		9 <b>Be</b> Beryllium 4	24 Mg Magnesium	40 <b>Ca</b>	Calcium 20	88	Strontium	38	137 <b>Ba</b>	Barium 56	226 <b>Rad</b> Radium 88	*58-71 Lanthanoid series 190-103 Actinoid series	« <b>×</b> □
	_		7 <b>Li</b> Lithium	23 <b>Na</b> Sodium	% <b>X</b>	Potassium 19	85	<b>Rb</b> Rubidium	37	Cs (33	Caesium 55	<b>Fr</b> Francium 87	*58-71 L	Key

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.