



GCSE Physics (8463)

Physics Equations Sheet

[Turn over]

1	<p>pressure due to a column of liquid = height of column × density of liquid × gravitational field strength (g)</p>	$p = h \rho g$
2	<p>(final velocity)² – (initial velocity)² = 2 × acceleration × distance</p>	$v^2 - u^2 = 2 a s$
3	<p>force = $\frac{\text{change in momentum}}{\text{time taken}}$</p>	$F = \frac{m \Delta v}{\Delta t}$

2

4	elastic potential energy = 0.5 × spring constant × (extension)²	$E_e = \frac{1}{2} k e^2$
5	change in thermal energy = mass × specific heat capacity × temperature change	$\Delta E = m c \Delta \theta$
6	period = $\frac{1}{\text{frequency}}$	$T = \frac{1}{f}$

3

Equations 1, 3, 8, 10 and 11 are for Higher Tier only.

[Turn over]

7	magnification = $\frac{\text{image height}}{\text{object height}}$	
8	force on a conductor (at right angles to a magnetic field) carrying a current = magnetic flux density × current × length	$F = B I l$
9	thermal energy for a change of state = mass × specific latent heat	$E = m L$

10	<p>potential difference across primary coil</p> <hr/> <p>potential difference across secondary coil</p> <p>=</p> <hr/> <p>number of turns in primary coil</p> <hr/> <p>number of turns in secondary coil</p>	$\frac{V_p}{V_s} = \frac{n_p}{n_s}$
11	<p>potential difference across primary coil</p> <p>× current in primary coil</p> <p>= potential difference across secondary coil</p> <p>× current in secondary coil</p>	$V_p I_p$ $= V_s I_s$

Equations 1, 3, 8, 10 and 11 are for Higher Tier only.

[Turn over]

12	For gases: pressure × volume = constant	$p V =$ <i>constant</i>
-----------	--	---

Equations 1, 3, 8, 10 and 11 are for Higher Tier only.